



Hydro-Specific Requirements

September 20, 2023



Introduction

- Now that you have completed the fleetwide orientation, including video and quiz, the following are site-specific requirements related to the location where you will be conducting work
- Ensure that site- specific emergency evacuation requirements are documented in your Field Level Hazard Assessment (FLHA) or equivalent



Hydro Emergency Response Guide

- Note: Each Hydro work site has a HERG binder (Hydro Emergency Response Guide) located in the plant control room and office buildings.
- The HERG includes plan activation and notification guidance with facility specific information.
- Clarify with your work leader where your muster point is located and review the HERG binder.



Additional PPE Requirements:

- Traction aids are required during winter months from November 1st - March 15th.
- High visibility markings – high vis markings must be on coveralls, jackets or vests.
- Gloves must be worn inside the plant.

For additional clarification, talk to your site contact



Important to Note:

Due to the age of many of our plants and facilities lead paint, asbestos and mercury may be present.

Before completing any task that may disturb these products, consult with your hiring leader, and follow all applicable Hydro Procedures.



Incident, Hazard, Near Miss and Positive Observation Reporting:

You see it you own it – if you identify a hazard, mitigate the hazard and report it

Report near miss and incidents immediately

Report safe conditions and behaviors through positive observations

Use TransAlta Total Safety Reports (Yellow Cards) to report hazard, near miss, and positive observations



Closing:

- Clarify with your hiring leader the requirement for a JSA, work permit, HECP training and site-specific risks.



Acknowledgement

- Please complete the acknowledgment section relevant to the fuel-type on the TransAlta website





Brittany Cross Hydro Safety

Advisor email:

Brittany_@transalta.com

